



Air Toxics

Client Sample ID: A6L0996091617

Lab ID#: 1709470-01A

MODIFIED EPA METHOD TO-14A GC/MS FULL SCAN

File Name:	v092808	Date of Collection:	9/16/17 11:59:00 PM
Dil. Factor:	1.00	Date of Analysis:	9/28/17 06:39 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.10	0.62	0.49	3.1
Freon 114	0.10	Not Detected	0.70	Not Detected
Chloromethane	0.50	0.67	1.0	1.4
Vinyl Chloride	0.10	Not Detected	0.26	Not Detected
1,3-Butadiene	0.10	0.090 J	0.22	0.20 J
Bromomethane	0.50	Not Detected	1.9	Not Detected
Chloroethane	0.50	Not Detected	1.3	Not Detected
Freon 11	0.10	0.26	0.56	1.4
Ethanol	1.0	1.7	1.9	3.2
Freon 113	0.10	0.081 J	0.77	0.62 J
1,1-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Acetone	0.50	4.7	1.2	11
2-Propanol	0.50	0.84	1.2	2.1
Carbon Disulfide	0.50	Not Detected	1.6	Not Detected
3-Chloropropene	0.50	Not Detected	1.6	Not Detected
Methylene Chloride	0.20	0.21	0.69	0.72
Methyl tert-butyl ether	0.10	Not Detected	0.36	Not Detected
trans-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Hexane	0.10	0.33	0.35	1.2
1,1-Dichloroethane	0.10	Not Detected	0.40	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.50	0.87	1.5	2.6
cis-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Tetrahydrofuran	0.50	0.28 J	1.5	0.83 J
Chloroform	0.10	0.038 J	0.49	0.18 J
1,1,1-Trichloroethane	0.10	Not Detected	0.54	Not Detected
Cyclohexane	0.10	0.048 J	0.34	0.16 J
Carbon Tetrachloride	0.10	0.12	0.63	0.73
2,2,4-Trimethylpentane	0.50	0.24 J	2.3	1.1 J
Benzene	0.10	0.42	0.32	1.4
1,2-Dichloroethane	0.10	Not Detected	0.40	Not Detected
Heptane	0.10	0.15	0.41	0.61
Trichloroethene	0.10	Not Detected	0.54	Not Detected
1,2-Dichloropropane	0.10	Not Detected	0.46	Not Detected
1,4-Dioxane	0.10	Not Detected	0.36	Not Detected
Bromodichloromethane	0.10	Not Detected	0.67	Not Detected
cis-1,3-Dichloropropene	0.10	Not Detected	0.45	Not Detected
4-Methyl-2-pentanone	0.10	0.054 J	0.41	0.22 J
Toluene	0.10	0.85	0.38	3.2
trans-1,3-Dichloropropene	0.10	Not Detected	0.45	Not Detected
1,1,2-Trichloroethane	0.10	Not Detected	0.54	Not Detected
Tetrachloroethene	0.10	Not Detected	0.68	Not Detected
2-Hexanone	0.50	Not Detected	2.0	Not Detected



Air Toxics

Client Sample ID: A6L0996091617

Lab ID#: 1709470-01A

**MODIFIED EPA METHOD TO-14A GC/MS FULL SCAN**

<b>File Name:</b>	<b>v092808</b>	<b>Date of Collection:</b> 9/16/17 11:59:00 PM
<b>Dil. Factor:</b>	<b>1.00</b>	<b>Date of Analysis:</b> 9/28/17 06:39 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.10	Not Detected	0.85	Not Detected
1,2-Dibromoethane (EDB)	0.10	Not Detected	0.77	Not Detected
Chlorobenzene	0.10	Not Detected	0.46	Not Detected
Ethyl Benzene	0.10	0.13	0.43	0.57
m,p-Xylene	0.10	0.46	0.43	2.0
o-Xylene	0.10	0.17	0.43	0.76
Styrene	0.10	0.051 J	0.42	0.22 J
Bromoform	0.10	Not Detected	1.0	Not Detected
Cumene	0.10	0.032 J	0.49	0.16 J
1,1,2,2-Tetrachloroethane	0.10	Not Detected	0.69	Not Detected
Propylbenzene	0.10	0.036 J	0.49	0.18 J
4-Ethyltoluene	0.10	0.14	0.49	0.71
1,3,5-Trimethylbenzene	0.10	0.057 J	0.49	0.28 J
1,2,4-Trimethylbenzene	0.10	0.16	0.49	0.82
1,3-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
1,4-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
alpha-Chlorotoluene	0.10	Not Detected	0.52	Not Detected
1,2-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
1,2,4-Trichlorobenzene	0.50	0.10 J	3.7	0.77 J
Hexachlorobutadiene	0.50	Not Detected	5.3	Not Detected
Butane	0.50	1.6	1.2	3.7
Decane	2.0	Not Detected	12	Not Detected
Dibromomethane	0.50	Not Detected	3.6	Not Detected
Nonane	0.50	Not Detected	2.6	Not Detected
Octane	0.50	Not Detected	2.3	Not Detected
Pentane	0.50	1.3	1.5	3.8
Propylene	1.0	Not Detected	1.7	Not Detected
Undecane	2.0	Not Detected	13	Not Detected
Vinyl Acetate	0.50	Not Detected	1.8	Not Detected

J = Estimated value.

**Container Type: 6 Liter Summa Canister (100% Cert Ambient)**

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	118	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	103	70-130



Air Toxics

Client Sample ID: A6L0996091617

Lab ID#: 1709470-01B

**MODIFIED EPA METHOD TO-14A GC/MS FULL SCAN**

File Name:	21092813	Date of Collection:	9/16/17 11:59:00 PM	
Dil. Factor:	1.00	Date of Analysis:	9/28/17 07:47 PM	

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Naphthalene	0.50	0.14 J	2.6	0.74 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	119	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	93	70-130